

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/010391

International filing date: 28 March 2005 (28.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US  
Number: 60/557,218  
Filing date: 29 March 2004 (29.03.2004)

Date of receipt at the International Bureau: 06 May 2005 (06.05.2005)

Remark: Priority document submitted or transmitted to the International Bureau in  
compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

1312816

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

*April 27, 2005*

**THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.**

**APPLICATION NUMBER: 60/557,218**

**FILING DATE: *March 29, 2004***

**RELATED PCT APPLICATION NUMBER: *PCT/US05/10391***



Certified by

Under Secretary of Commerce  
for Intellectual Property  
and Director of the United States  
Patent and Trademark Office

18334 U.S. PTO  
This is  
032904

**This is a request for filing a PROVISIONAL APPLICATION under 35 CFR 1.53 (c).**

22154 U.S. PTO  
60/557218



032904

Carl Cowin

**March 29, 2004**

**PROVISIONAL APPLICATION FILING ONLY**

## PESTICIDE COMPOSITIONS

### FIELD OF THE INVENTION

This invention is related to the field of compositions useful in the control of pests that eat cellulose, such as, termites.

5

### BACKGROUND OF THE INVENTION

Cellulose is the most abundant composition on the planet. It is a polymer that is made from glucose. Wood contains about 50 weight percent cellulose and cotton contains about 90 weight percent cellulose. Cellulose is a generic term for a composition that contains alpha cellulose, beta cellulose, and gamma cellulose. Alpha cellulose has a much higher degree of polymerization ("DP") than beta or gamma cellulose. Alpha Cellulose has a DP in the thousands depending on the source of the alpha cellulose. Alpha cellulose can be made into microcrystalline cellulose. Microcrystalline cellulose has a DP of less than 400.

10  
15

Pests that eat cellulose are very destructive. Termites are very destructive easily causing billions of dollars in damage each year. Research is constantly being conducted to find new measures that can better control termites, especially termite species that have been difficult to control in the past.

20

This invention provides a solution to the problems of controlling pests that eat cellulose.

#### BRIEF SUMMARY OF THE INVENTION

5           This invention is related to the field of compositions useful in the control of pests that eat cellulose, such as, termites, where said composition is compacted and where said composition comprises alpha-cellulose, water, and a pesticide.

#### 10   DETAILED DESCRIPTION OF THE INVENTION

          US 2003/0152605 A1 discloses an optimum density termite composition. An optimum density was required because the applicants wanted more cellulose compacted into less volume thereby, according to the application, providing a longer term feeding composition. The composition  
15   comprises "purified cellulose" (it is not readily apparent from the application what this term means) or microcrystalline cellulose in a compacted form where the composition has a density greater than 1.033 grams per cubic centimeter. It is apparent that the applicants are not disclosing any composition that contains water in any amount. This is especially apparent  
20   when considering their problems with powder cellulose as disclosed in

paragraph 0014 and their solution for deaerating the powder in paragraph 019.

#### PESTS

Any cellulose eating pest can be controlled by the inventive  
5 compositions disclosed herein. In particular, termites can be controlled by the  
inventive compositions herein, especially subterranean termites such as  
*Reticulitermes* spp. and *Coptotermes* spp. Suitable examples of termites that  
can be controlled are: *Reticulitermes flavipes*; *Reticulitermes virginicus*;  
*Reticulitermes Hesperus*; *Heterotermes aureus*; *Coptotermes formosanus*;  
10 *Reticulitermes speratus*; *Reticulitermes grassei*; *Reticulitermes santonensis*;  
*Macrotermes gilvus*; and *Reticulitermes hageni*.

#### ALPHA CELLULOSE

Alpha cellulose is readily available. It can be purchased from a variety  
15 of sources. One particular source is International Fiber Corporation. It is  
particularly preferred if the alpha cellulose is in powdered form.

#### PESTICIDES

Examples of suitable insecticides that may be used are:

(a) Pyrethroids, such as permethrin, cypemethrin, fenvalerate, esfenvalerate, deltamethrin, cyhalothrin, lambda-cyhalothrin, gamma-cyhalothrin, bifenthrin, fenpropathrin, cyfluthrin, tefluthrin, fish safe pyrethroids (for example ethofenprox), natural pyrethrin, tetramethrin, s-bioallethrin, 5 fenfluthrin, prallethrin, 5-benzyl-3-furylmethyl-(E)-(1R,3S)-2,2-dimethyl-3-(2-oxothiolan-3-ylidenemethyl) cyclopropane carboxylate, or any of their insecticidally active isomers;

(b) Organophosphates, such as, methidathion, chlorpyrifos-methyl, 10 profenofos, sulprofos, acephate, methyl parathion, azinphos-methyl, demeton-s-methyl, heptenophos, thiometon, fenamiphos, monocrotophos, profenofos, triazophos, methamidophos, dimethoate, phosphamidon, malathion, chlorpyrifos, chlorpyrifos-methyl, phosalone, terbufos, fensulfothion, fonofos, phorate, phoxim, pirimiphos-methyl, pirimiphos-ethyl, 15 fenitrothion, fosthiazate or diazinon;

(c) Carbamates (including aryl carbamates), such as fenoxycarb, alanycarb, pirimicarb, triazamate, cloethocarb, carbofuran, furathiocarb, ethiofencarb, aldicarb, thiofurox, carbosulfan, bendiocarb, fenobucarb, propoxur, methomyl or oxamyl;

- (d) Benzoyl ureas, such as lufenuron, novaluron, noviflumuron, teflubenzuron, diflubenzuron, triflumuron, hexaflumuron, flufenoxuron or chlorfluazuron;
- (e) Organic tin compounds, such as cyhexatin, fenbutatin oxide or  
5 azocyclotin;
- (f) Pyrazoles, such as tolfenpyrad, pyridaben, tebufenpyrad and fenpyroximate;
- (g) Macrolides, such as avermectins or milbemycins, for example abamectin, emamectin benzoate, ivermectin, milbemycin, spinosad or  
10 azadirachtin;
- (h) Hormones or pheromones;
- (i) Organochlorine compounds such as endosulfan, benzene hexachloride, DDT, chlordane or dieldrin;
- (j) Amidines, such as chlordimeform or amitraz;
- (k) Chloronicotinyl compounds such as diofenolan, clothianidin, thiacloprid, imidacloprid, thiacloprid, acetamiprid, nitenpyram or thiamethoxam;  
15
- (l) Diacylhydrazines, such as halofenozide, tebufenozide, chromafenozide or methoxyfenozide;
- (m) Diphenyl ethers, such as diofenolan or pyriproxifen;  
20



- (n) Indoxacarb;
- (o) Chlorfenapyr;
- (p) Pymetrozine;
- (q) Diafenthiuron;

5           (r) Toxins of microbial origin such as *B.acillus thuringiensis* endo- or exotoxins;

- (s) Phenylpyrazoles such as fipronil, vaniliprole, etiprole or acetoprole;
- (t) Pyridalyl; or
- (v) hydramethylnon

10           In addition to the major pesticides listed above, other pesticides having particular targets may be employed if appropriate for the intended utility of the inventive composition. Alternatively, insecticides, or acaricides, specific for particular insect species/stages may also be included in the inventive compositions (for example acaricidal ovo-larvicides, such as clofentezine,

15           flubenzimine, hexythiazox or tetradifon; acaricidal motilicides, such as dicofol or propargite; acaricides, such as acequinocyl, fenazaquin, spiroadiclofen, etoxazole, bromopropylate or chlorobenzilate; or growth regulators, such as cyromazine, methoprene, chlorfluazuron or diflubenzuron).

            Examples of suitable insecticide synergists that may be used as a

20           further active ingredient in the inventive compositions include piperonyl

butoxide, sesamex, safroxan and dodecyl imidazole.

Specific examples of preferred pesticides are thiamethoxam, abamectin, emamectin benzoate, spinosad, chlorpyrifos, chlorpyrifos-methyl, profenofos, lufenuron, indoxacarb, lambda-cyhalothrin, pymetrozine, 5 pirimicarb, methidathion, imidacloprid, acetamiprid, thiacloprid, fipronil, methoxyfenozide, chlorfenapyr, pyridaben, novaluron, noviflumuron, pyridalyl, propargite and piperonyl butoxide.

Mixtures of pesticides are also useful and many of the above can be synergistically used together.

10        However, it is most preferred to use a slow acting pesticide, especially with termites, so that the termites can take the pesticide, or pesticides, back to their colony and poison other colony members.

#### PREPARATION AND USE

15        In general the amount of alpha cellulose and water to use is not critical and can vary by a wide amount depending on the other components (such as pesticide(s), binder(s), attractant(s), etc.) added to mixture of alpha cellulose and water. It is preferred that the mixture of alpha cellulose, water, and the other components, if any, upon compacting, have a density greater than 20 about 1 gram per cubic centimeter. Densities less than about 1 gram per

cubic centimeter can be used but are not preferable in most cases. Suitable ranges for alpha cellulose and water are in Table 1.

Component	Table 1: Weight Percent (based on total weight of both components)		
	Preferred Range	More Preferred Range	Most Preferred Range
Alpha Cellulose	60 to 99	65 to 95	70 to 90
Water	40 to 1	35 to 5	30 to 10

In general the amount of pesticide to use is also not critical. Amounts  
 5 from 0.0001 to 10 weight percent based on the weight of the inventive composition can be used (that is, alpha cellulose, water, pesticide, plus any other components desired).

The compacted composition of alpha cellulose, water, pesticide, plus any other components desired can take any useful form. A useful form is a  
 10 form that the desired pest can eat. Such forms are tablets, briquettes, pellets, granules, etc. These types of forms can be made by any process known in the art. In general, more water is needed to form good pellets and less water is needed to form good briquettes.

In an unexpected and surprising manner, it has been discovered that  
 15 termites that have in the past been difficult to control with baits, feed especially well upon briquettes as oppose to pellets or tablets, possibly because the briquettes of this invention can absorb liquids more easily.

Consequently, it is preferred to compact the inventive composition in the shape of a briquette. One machine that can do this process is Komarek model B-100-A two roll mill available from K. R. Komarek Inc., 1825 Estes Ave., Elk Grove Village, IL 60007.

5           Once the inventive composition has been compacted, such as into briquettes, it is preferred to dry the briquettes. This drying can occur in any manner known in the art that will remove a portion of the water. This may seem paradoxical, in that it is desirable to have water in the compacted composition. After all, water is desired by cellulose eating pests, especially  
10 termites. However, while water is removed from the compacted composition it is not entirely removed from the compacted composition. At least a portion of the water that is removed from the compacted composition leaves voids in the compacted composition.

          The compacted composition can then be used as a bait to control  
15 cellulose eating pests, such as subterranean termites. Many methods are known to bait such pests. In a preferred embodiment of the invention the compacted composition is placed in the ground, perhaps inside another tube that allows access for termites, and prior to placing the compacted composition in the ground or tube, or leaving it in the ground or tube,  
20 additional liquid (such as water, or a mixture of water and sugar, or a mixture

of water, sugar, and salts) is contacted with the compacted composition. This method can attract even more termites to the now moistened, compacted composition, causing more feeding and more pesticide delivery to the termites and the colony. Since the compacted composition was first dried  
5 before being moisten the liquid can readily fill any voids left behind by the drying of the compacted composition.

Optional ingredients to include in the inventive composition include, but are not limited to, a preservative to retard fungal growth, and a protectant such as a bittering agent to provide a safety factor for exposed bait.

10 An attractant is defined as any substance or combination of substances which will lure pests. Examples of attractants are carbon dioxide and terpenes.

Feeding stimulants that can be used in the inventive composition are, for example, sugar, such as powdered sucrose, high fructose corn syrup,  
15 polyhydroxy alcohols such as glycerin, and starch.

Examples of preservatives useful in the present invention are 1,2-benzisothiazolin-3-one (PROXEL GXL<sup>®</sup>, Avecia Inc. Wilmington, Del. 19850), methyl paraben (p-hydroxybenzoic acid methyl ester) and propyl paraben (n-propyl p-hydroxybenzoate). Other known fungistats would also be effective in  
20 increasing the longevity of the bait and retarding mold growth.

The headings used herein are meant to be as a guide and are not to be used to interpret the scope of the invention.

#### EXAMPLES

- 5            These examples are provided to illustrate the invention. They are not to be used for limiting the scope of the invention.

##### Example A : Preparation of Pesticide Concentrate

Pesticide Concentrate Table	
Wt %	Ingredient
50.5	Noviflumuron
38.1	Water
10.4	Pluronic P-104
0.7	Proxel GXL
0.3	Antifoam B

- 10            An pesticide concentrate containing the amounts of materials in the pesticide concentrate table was prepared as follows.

- Pluronic P-104 and water were mixed together to form a solution containing 23.3 weight percent Pluronic P-104 based on the total weight of the mixture ("First Mixture"). The Pesticide concentrate was made by mixing together the First Mixture, the noviflumuron, the Proxel GXL, and the
- 15            Antifoam B in the amounts required to achieve the indicated weight percents.

##### Example 1-A: Preparation of a Preferred Embodiment

In this example, a preferred embodiment of the inventive compositions disclosed herein is made.

Ninety kg of cellulose (BH-100 from International Fiber Corporation) was weighed into a blender. A first mixture of pesticide concentrate (see  
5 Example A) with water (1 part pesticide concentrate: 3 parts water) was then sprayed into the blender. Upon mixing, this produced a second mixture containing about 0.5 weight percent pesticide, about 9.2 weight percent water, and about 90.3 weight percent cellulose, based on the weight of the second mixture.

10 Additional water was sprayed into the blender to produce a third mixture that could be compacted into briquettes. The third mixture contained about 0.4 weight percent pesticide, about 27.9 weight percent water, and about 71.7 weight percent cellulose, based on the weight of the third mixture.

The third mixture was then fed into a compaction device. The  
15 compaction device was the Komarek briquetter, model B-100-A two-roll machine. The machine was run under the following conditions to produce briquettes: a compaction force of 1,300 kg/cm<sup>2</sup>; a feed rate of 400-500 g/min; and a tip speed of 5 feet per minute.

The briquettes coming off the compaction device were then screened with a vibratory screener. The material that passed through a 4-mesh screen (4,750 micron size) was collected for recycling to the feed.

The briquettes were then dried to remove a portion of the water.

5    **Example 1-B Preparation of another Preferred Embodiment**

In this example, a preferred embodiment of the inventive compositions disclosed herein is made.

68.18 kg of cellulose (BH-100 from International Fiber Corporation) was weighed into a blender. A first mixture of pesticide concentrate (see  
10    Example A) with water (0.698 kg pesticide concentrate and 2.116 kg water) was then mixed into the blender. An additional 24.3 kg of water was then added to the blender. After thorough mixing, the mixture was fed into a model CL-2 California Pellet mill to produce 3/16" diameter pellets. 500 – 600 grams per minute of wet pellets were produced at a rotational speed of 620 feet per  
15    min. The material coming off the pellet mill was screened. Product that passed through a 4-mesh screen (4,750  $\mu$ ) was disposed. The pellets were dried to remove a portion of the water.

**Example 1-C Preparation of another Preferred Embodiment**



In this example, a preferred embodiment of the inventive compositions disclosed herein is made.

90.91 kg of cellulose (BH-100 from International Fiber Corporation) was weighed into a blender. 16.243 kg of BF-20 starch (From Grain Processing Corporation) was then mixed into the blender. A first mixture of pesticide concentrate (see Example A) with water (1.1 kg pesticide concentrate and 3.3 kg water) was then mixed into the blender. An additional 30.419 kg of water was then added to the blender. After thorough mixing, the mixture was fed into a model CL-2 California Pellet mill to produce 3/16" diameter pellets. 400 – 600 grams per minute of wet pellets were produced at a rotational speed of 620 feet per min. The material coming off the pellet mill was screened. Product that passed through a 4-mesh screen (4,750  $\mu$ ) was disposed. The pellets were dried to remove a portion of the water.

#### Example 2: Importance of Moist Baits

15 This example shows the importance of moisture to termites.

The moist bait was prepared in accordance with Example 1-B. Additional water was added to the bait as indicated (either 0.43 ml/g; 0.85 ml/g; Or 2 ml/g; water/gram of bait)

The dry bait was prepared in accordance with Example 1-B. However  
20 no additional water was added.

A one-way pair choice testing environment was used. The termites were placed in a harborage and a tube allowed them a passage to the food environment. In the food environment, the termites were given a choice of two different food sources. The termites were allowed to feed on the food choices  
5 for 7 days. Between 4 and 12 reps were performed and each rep had 100-200 termite workers. Bait consumption was measured as the difference between the pre-weight and the post weight.

At 0.43 ml/g *R. flavipes*, *R. speratus*, *C. gestrol/travians*, and *H. aureus* preferred the moist bait over the dry bait. The only other species tested had  
10 no preference *R. hesperus*.

At 0.85 ml/g *R. speratus*, *C. gestrol/travians*, *H. aureus*, *R. grassei*, *C. formosanus*, and *R. virginicus* preferred the moist bait over the dry bait. *R. flavipes* and *R. hesperus* showed no preference.

At 2 ml/g *R. speratus*, and *C. gestrol/travians* preferred the moist bait  
15 over the dry bait. *R. flavipes*, *R. hesperus*, *H. aureus* showed no preference. *R. grassei* actually preferred the dry bait over the moist bait.

This example shows the importance of moisture to termite feeding, and hence to the importance of the inventive composition's ability to absorb moisture.

**WE CLAIM**

1. A compacted composition comprising alpha-cellulose, water, and a pesticide.
- 5 2. A compacted composition comprising alpha-cellulose, water, and a pesticide, where said composition is in the form of a briquette.
3. A process comprising compacting a mixture that comprises alpha-cellulose, water, and a pesticide, to form a compacted composition.
- 10 4. A process comprising compacting a mixture that comprises alpha-cellulose, water, and a pesticide, to form a compacted composition, where said compacted composition is in the form of a briquette.
- 15 5. A process comprising applying any of the compositions according to claims 1-2 to the locus of a pest in an amount effective to lower the number of such pests in such locus.

**ABSTRACT OF THE DISCLOSURE**

This invention is related to the field of compositions useful in the control of pests that eat cellulose, such as, termites, where said composition is compacted and where said composition comprises alpha-cellulose, water,  
5 and a pesticide.

From the INTERNATIONAL BUREAU

**PCT**NOTIFICATION CONCERNING  
SUBMISSION OR TRANSMITTAL  
OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

To:

CORVIN, Carl, D.  
Dow AgroSciences LLC  
9330 Zionsville Road  
Indianapolis, IN 46268  
ETATS-UNIS D'AMERIQUE

Date of mailing (day/month/year) 30 May 2005 (30.05.2005)	
Applicant's or agent's file reference 62,970A	<b>IMPORTANT NOTIFICATION</b>
International application No. PCT/US05/010391	International filing date (day/month/year) 28 March 2005 (28.03.2005)
International publication date (day/month/year)	Priority date (day/month/year) 29 March 2004 (29.03.2004)
Applicant DOW AGROSCIENCES LLC et al	

- By means of this Form, which replaces any previously issued notification concerning submission or transmittal of priority documents, the applicant is hereby notified of the date of receipt by the International Bureau of the priority document(s) relating to all earlier application(s) whose priority is claimed. Unless otherwise indicated by the letters "NR", in the right-hand column or by an asterisk appearing next to a date of receipt, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- (If applicable)* The letters "NR" appearing in the right-hand column denote a priority document which, on the date of mailing of this Form, had not yet been received by the International Bureau under Rule 17.1(a) or (b). Where, under Rule 17.1(a), the priority document must be submitted by the applicant to the receiving Office or the International Bureau, but the applicant fails to submit the priority document within the applicable time limit under that Rule, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- (If applicable)* An asterisk (\*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b) (the priority document was received after the time limit prescribed in Rule 17.1(a) or the request to prepare and transmit the priority document was submitted to the receiving Office after the applicable time limit under Rule 17.1(b)). Even though the priority document was not furnished in compliance with Rule 17.1(a) or (b), the International Bureau will nevertheless transmit a copy of the document to the designated Offices, for their consideration. In case such a copy is not accepted by the designated Office as the priority document, Rule 17.1(c) provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

<u>Priority date</u>	<u>Priority application No.</u>	<u>Country or regional Office or PCT receiving Office</u>	<u>Date of receipt of priority document</u>
29 March 2004 (29.03.2004)	60/557,218	US	06 May 2005 (06.05.2005)

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Authorized officer

Delmas Dominique

Facsimile No. +41 22 740 14 35

Facsimile No. +41 22 338 89 95  
Telephone No. +41 22 338 9643